OMB Control No. 2900-0776 Respondent Burden: 15 Minutes Expiration Date: 03/31/2021

Department of Veterans Affairs	partment of Veterans Affairs TEMPOROMANDIBULAR JOINT (TMJ) CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE				
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) <i>WILL NOT PAY</i> OR <i>REIMBURSE</i> ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION BEFORE COMPLETING FORM.					
NAME OF PATIENT/VETERAN					
PATIENT/VETERAN'S SOCIAL SECURITY NUMBER					
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim. VA reserves the right to confirm the authenticity of ALL DBQ's completed by private health care providers.					
	SECTION I - DIAGNOSIS				
1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER YES NO (If "Yes," complete Item 1B)	HAD A TEMPOROMANDIBULAR JOINT CONDITION?				
1B. PROVIDE ONLY DIAGNOSES THAT PERTAIN TO TEMPORON	ANDIBULAR JOINT CONDITIONS:	1			
Diagnosis # 1:	ICD code:	Date of diagnosis:			
Diagnosis # 2:	ICD code:	Date of diagnosis:			
Diagnosis # 3:	ICD code:	Date of diagnosis:			
2. DESCRIBE THE HISTORY (including onset and course) OF THE	ECTION II - MEDICAL HISTORY	$(\mathcal{D}_{2}, \mathcal{D}_{2}, D$			
3. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE TEMPOROMANDIBULAR JOINT?					
SECTION IV - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS					
Measure ROM. During the measurements, document the point at whice	h painful motion begins, evidenced by visible behavior such	as facial expression, wincing, etc.			
Report initial measurements below. Following the initial assessment of ROM, perform repetitive use testing. For VA purposes, repetitive use testing must be included in all joint exams. The VA has determined that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions. Report post-test measurements in Section V.					
4A. ROM FOR LATERAL EXCURSION:					
Greater than 4 mm 0 to 4 mm					
SELECT WHERE EVIDENCE OF PAINFUL MOTION BEGINS: No objective evidence of painful motion Greater than 4 mm 0 to 4 mm					
	2027.0005				
4B. ROM FOR OPENING MOUTH, MEASURED BY INTER-INCISAL	DISTANCE:				
31 to 40 mm					
21 to 30 mm					
11 to 20 mm					
0 to 10 mm					
VA FORM 21-0960M-15 SUPERSI	EDES VA FORM 21-0960M-15, DEC 2014,	Page 1			

PATIENT/VETERAN'S SOCIAL SECURITY NUMBER	-	-			
SECTION IV - I	NITIAL RANGE OF MOTI	ON (ROM) MEASURE	MENTS (Continued)		
4B. ROM FOR OPENING MOUTH, MEASURED BY INT	1	ntinued)			
SELECT WHERE OBJECTIVE EVIDENCE OF PAINFUL	MOTION BEGINS:				
Greater than 40 mm					
31 to 40 mm					
21 to 30 mm					
11 to 20 mm					
0 to 10 mm					
 4C. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF MOTION IDENTIFIED ABOVE BUT IS NORMAL FOR THIS VETERAN (for reasons other than a temporomandibular joint condition, such as age, body habitus, neurologic disease), EXPLAIN: 					
SECTION	/ - ROM MEASUREMEN				
5A. IS THE VETERAN ABLE TO PERFORM REPETITIV					
YES NO IF UNABLE, PROVIDE REASO					
If veteran is unable to perform repetitive-use testing, skip to Section VI If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.					
5B. POST-TEST ROM FOR LATERAL EXCURSION:					
0 to 4 mm					
Greater than 4 mm					
5C. POST-TEST ROM FOR OPENING MOUTH, MEASU	RED BY INTER-INCISAL DIS	TANCE:			
Greater than 40 mm					
31 to 40 mm					
21 to 30 mm					
11 to 20 mm 0 to 10 mm					
SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION IN ROM					
inability to perform normal working movements of the boo	ss, if present, and additional lo y with normal excursion, stre	oss of ROM after repetitive ogth, speed, coordination	-use testing, if present. The VA defines functional loss as the nd/or endurance.		
	ss, if present, and additional lo y with normal excursion, stre	oss of ROM after repetitive ogth, speed, coordination	-use testing, if present. The VA defines functional loss as the nd/or endurance.		
inability to perform normal working movements of the boo	ss, if present, and additional lo ly with normal excursion, stree ION IN ROM OF EITHER TM	oss of ROM after repetitive Igth, speed, coordination J FOLLOWING REPETIT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO	ss, if present, and additional lo ly with normal excursion, stree ION IN ROM OF EITHER TM	oss of ROM after repetitive Igth, speed, coordination J FOLLOWING REPETIT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO	ss, if present, and additional lu y with normal excursion, stree ION IN ROM OF EITHER TM PSS OR FUNCTIONAL IMPAI	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ	ss, if present, and additional le y with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R	ss, if present, and additional li ly with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R	ss, if present, and additional li ly with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R More movement than normal R	ss, if present, and additional li ly with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R Weakened movement R	ss, if present, and additional le ly with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ghtLeft Both ghtLeft Both ghtLeft Both ghtLeft Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R Weakened movement R Pain on movement R	ss, if present, and additional li ly with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS OF DIS NO NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS OF DIS No functional loss for right TMJ R No functional loss for right TMJ R No functional loss for left TMJ R More movement than normal R Weakened movement R Pain on movement R Excess fatigability R	ss, if present, and additional le y with normal excursion, street ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both ght Left Both ght Left Both ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R Weakened movement R Pain on movement R Excess fatigability R Incoordination, impaired ability to execute R skilled movements smoothly	ss, if present, and additional le y with normal excursion, streed ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAR TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS of LINDICATE THE CONTRIBUTING FACTORS OF DISTING No functional loss for right TMJ R No functional loss for right TMJ R More movement than normal R Weakened movement R Pain on movement R Excess fatigability R Incoordination, impaired ability to execute R skilled movements smoothly Swelling	ss, if present, and additional le y with normal excursion, streed ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAN TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	DSS of ROM after repetitive gth, speed, coordination J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT	-use testing, if present. The VA defines functional loss as the nd/or endurance. /E-USE TESTING?		
inability to perform normal working movements of the bood 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTIONAL LOSS of right TMJ No functional loss for right TMJ R No functional loss for left TMJ R More movement than normal R Weakened movement R Pain on movement R Excess fatigability R Incoordination, impaired ability to execute skilled movements smoothly R Deformity R	ss, if present, and additional le ly with normal excursion, stree ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	DISS OF ROM after repetitive igth, speed, coordination and J FOLLOWING REPETIT RMENT OF EITHER TMJ DR ADDITIONAL LIMITAT that apply and indicate so	-use testing, if present. The VA defines functional loss as the nd/or endurance. //E-USE TESTING?		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R Weakened movement R Pain on movement R Excess fatigability R Lincoordination, impaired ability to execute R skilled movements smoothly R Deformity R	ss, if present, and additional le y with normal excursion, streed ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAR TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	PSS of ROM after repetitive gth, speed, coordination of J FOLLOWING REPETIT RMENT OF EITHER TMJ OR ADDITIONAL LIMITAT that apply and indicate so that apply and indicate so	-use testing, if present. The VA defines functional loss as the nd/or endurance. //E-USE TESTING? ION OF ROM OF EITHER TMJ AFTER REPETITIVE USE, de affected):		
inability to perform normal working movements of the boo 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNC INDICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R Less movement than normal R More movement than normal R Pain on movement R Excess fatigability R Lincoordination, impaired ability to execute R skilled movements smoothly R Deformity R	ss, if present, and additional le y with normal excursion, streed ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAR TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	PSS of ROM after repetitive gth, speed, coordination of J FOLLOWING REPETIT RMENT OF EITHER TMJ OR ADDITIONAL LIMITAT that apply and indicate so that apply and indicate so	-use testing, if present. The VA defines functional loss as the nd/or endurance. //E-USE TESTING? ION OF ROM OF EITHER TMJ AFTER REPETITIVE USE, de affected):		
inability to perform normal working movements of the bod 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LO YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS,	ss, if present, and additional le y with normal excursion, streed ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAR TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Left Both	PSS of ROM after repetitive gth, speed, coordination of J FOLLOWING REPETIT RMENT OF EITHER TMJ OR ADDITIONAL LIMITAT that apply and indicate so that apply and indicate so	-use testing, if present. The VA defines functional loss as the nd/or endurance. //E-USE TESTING? ION OF ROM OF EITHER TMJ AFTER REPETITIVE USE, de affected):		
inability to perform normal working movements of the bod 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LC YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTINICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R More movement than normal R Weakened movement R Pain on movement R Incoordination, impaired ability to execute R Swelling R Deformity R YES NO	ss, if present, and additional le y with normal excursion, street ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Deft Both	I PALPATION) AND C	-use testing, if present. The VA defines functional loss as the ind/or endurance. VE-USE TESTING? ION OF ROM OF EITHER TMJ AFTER REPETITIVE USE, de affected): REPITUS		
inability to perform normal working movements of the bod 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITAT YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LC YES NO 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL LOSS, FUNCTINICATE THE CONTRIBUTING FACTORS OF DIS No functional loss for right TMJ R No functional loss for left TMJ R More movement than normal R Weakened movement R Pain on movement R Incoordination, impaired ability to execute R Swelling R Deformity R YES NO	ss, if present, and additional le y with normal excursion, street ION IN ROM OF EITHER TM DSS OR FUNCTIONAL IMPAI TIONAL IMPAIRMENT AND/ ABILITY BELOW (Check all ght Left Both ght Deft Both	I PALPATION) AND C	-use testing, if present. The VA defines functional loss as the ind/or endurance. VE-USE TESTING? ION OF ROM OF EITHER TMJ AFTER REPETITIVE USE, de affected): REPITUS		

PATIENT/VETERAN'S SOCIAL SECURITY NUMBER						
SECTION VIII - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS						
8A. DOES THE VETERAN HAVE ANY SCARS (surgical SECTION I, DIAGNOSIS?	8A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?					
YES NO						
(6 square inches)? YES NO (f "Yes," ALSO complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire)						
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	. ,				
CONDITIONS LISTED IN SECTION 1, DIAGNOSIS?		S, SIGNS AND/OR S	YMPTOMS RELATED TO ANY			
YES NO (If "Yes," describe (brief summary):						
	SECTION IX - DIAGNOSTIC TESTING					
NOTE : The diagnosis of degenerative arthritis (osteoar further imaging studies are required by VA, even if arthritical studies are required by VA.	rthritis) or traumatic arthritis must be confirmed by imaging nritis has worsened.	studies. Once such	arthritis has been documented, no			
9A. HAVE IMAGING STUDIES OF THE TMJ BEEN PER	FORMED AND ARE THE RESULTS AVAILABLE?					
IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?						
IF YES, SIDE AFFECTED: Right Left	Both					
9B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOST	FIC TEST FINDINGS AND/OR RESULTS?					
IF YES, SIDE AFFECTED: Right Left	Both					
IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, D	ATE AND RESULTS (Brief summary):					
	SECTION X - FUNCTIONAL IMPACT					
10. DOES THE VETERAN'S TEMPOROMANDIBULAR J	OINT CONDITION IMPACT HIS OR HER ABILITY TO WORK	</td <td></td>				
IF YES, DESCRIBE THE IMPACT OF EACH OF THE VE	TERAN'S TEMPOROMANDIBULAR CONDITIONS PROVIDI	ING ONE OR MORE	EXAMPLES:			
	SECTION XI - REMARKS					
11. REMARKS (if any):						
	ON XII - PHYSICIAN'S CERTIFICATION AND SIGNA					
CERTIFICATION - To the best of my knowledge	ge, the information contained herein is accurate, com	plete and current.				
12A. PHYSICIAN'S SIGNATURE (Sign in ink)	12B. PHYSICIAN'S PRINTED NAME		12C. DATE SIGNED			
12D. PHYSICIAN'S PHONE AND FAX NUMBER	12E. NATIONAL PROVIDER IDENTIFIER (NPI) NUMBER	12F. PHYSICIAN'S	ADDRESS			
NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.						
IMPORTANT - Physician please fax the completed form to: (VA Regional Office FAX No.)						
NOTE - A list of VA Regional Office FAX Numbers can be found at <u>www.benefits.va.gov/disabilityexams</u> or obtained by calling 1-800-827-1000.						
PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.						
that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at <u>www.reginfo.gov/public/do/PRAMain</u> . If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.						