Department of Veterans Affairs	MULTIPLE SCLEROSIS (MS) DISABILITY BENEFITS QUESTIONNAIRE			
NAME OF PATIENT/VETERAN		PATIENT/VETERAN'S SOCIAL SECURITY NUMBER		
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS COMPLETING AND/OR SUBMITTING THIS FORM.	(VA) WILL NOT PAY OR REIMBURSE ANY EXPEN	SES OR COST INCURRED IN THE PROCESS OF		
Note - The Veteran is applying to the U.S. Department of Vetera of their evaluation in processing the Veteran's claim. VA may of veteran's application. VA reserves the right to confirm the authors by the Veteran's provider.	btain additional medical information, including an exai	mination, if necessary, to complete VA's review of the		
Are you completing this Disability Benefits Questionnaire at t	he request of:			
Veteran/Claimant				
Other: please describe				
Are you a VA Healthcare provider? Yes No				
Is the Veteran regularly seen as a patient in your clinic?	Yes No			
Was the Veteran examined in person? Yes N	0			
If no, how was the examination conducted?				
	EVIDENCE REVIEW			
Evidence reviewed:	EVIDENCE REVIEW			
No records were reviewed				
Records reviewed				
Necotus reviewed				
Please identify the evidence reviewed (e.g. service treatment	records, VA treatment records, private treatment records	ords) and the date range.		

CECTION L. DIACNOCIO							
SECTION I - DIAGNOSIS 1A. DOES THE VETERAN HAVE MULTIPLE SCLEROSIS (MS)?							
YES NO							
1B. IF YES, PROVIDE ONLY DIAGNOSES THAT PERTAIN TO MS:							
DIAGNOSIS # 1 - ICD CODE - DATE OF DIAGNOSIS -							
DIAGNOSIS # 2 - ICD CODE - DATE OF DIAGNOSIS -							
DIAGNOSIS # 3 - ICD CODE - DATE OF DIAGNOSIS -							
1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO MS, LIS	T USING ABOVE FORMAT:						
SECTIO	N II - MEDICAL HISTORY						
2A. DESCRIBE THE HISTORY (including onset and course) OF THE VETER	AN'S MS (brief summary):						
2B. DOMINANT HAND							
RIGHT LEFT AMBIDEXTROUS							
SECTION III - CONDITIO	NS, SIGNS AND SYMPTOMS DUE TO M	3					
3A. DOES THE VETERAN HAVE ANY MUSCLE WEAKNESS IN THE UPPE							
YES NO (If "Yes," report under strength testing in neurologic	exam section)						
3B. DOES THE VETERAN HAVE ANY PHARYNX AND/OR LARYNX AND/O YES NO (15 Yes aback all that apply)	R SWALLOWING CONDITIONS DUE TO MULT	TIPLE SCLEROSIS?					
(If "Yes," check all that apply): Constant inability to communicate by speech							
Speech not intelligible or individual is aphonic							
Paralysis of soft palate with swallowing difficulty (nasal regurgitation) an	d speech impairment						
Hoarseness	a spooonpas						
Mild swallowing difficulties							
Moderate swallowing difficulties							
Severe swallowing difficulties, permitting passage of liquids only							
Requires feeding tube due to swallowing difficulties							
Other (describe):							
3C. DOES THE VETERAN HAVE ANY RESPIRATORY CONDITIONS ATTR	IBUTABLE TO MULTIPLE SCLEROSIS?						
☐ YES ☐ NO							
If "Yes," provide PFT results under "Diagnostic Testing" section and complete Respiratory Conditions Questionnaire.							
3D. DOES THE VETERAN HAVE SLEEP DISTURBANCES ATTRIBUTABLE TO MULTIPLE SCLEROSIS?							
YES NO							
(If "Yes," check all that apply):							
☐ Insomnia							
Hypersomnolence and/or daytime "sleep attacks "							
Persistent daytime hypersomnolence							
Sleep apnea requiring the use of breathing assistance device such as continuous airway pressure (CPAP) machine							
Sleep apnea causing chronic respiratory failure with carbon dioxide retention or cor pulmonale							
Sleep apnea requiring tracheostomy							

SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO MS (Continued)
3E. DOES THE VETERAN HAVE ANY BOWEL FUNCTIONAL IMPAIRMENT ATTRIBUTABLE TO MULTIPLE SCLEROSIS?
YES NO
(If "Yes," check all that apply):
Slight impairment of sphincter control, without leakage
Constant slight leakage
Occasional moderate leakage
Occasional involuntary bowel movements, necessitating wearing of a pad
Extensive leakage and fairly frequent involuntary bowel movements
Total loss of bowel sphincter control
Chronic constipation
Other bowel impairment (describe):
OF DOES THE VETERAN HAVE VOIDING DVOEINGTION CANODIG HIGHE LEAVAGE ATTRIBUTARIE TO MULTIPLE COLEROSION
3F. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING URINE LEAKAGE ATTRIBUTABLE TO MULTIPLE SCLEROSIS?
☐ YES ☐ NO
(If "Yes," check all that apply):
Does not require/does not use absorbent material
Requires absorbent material that is changed less than 2 times per day
Requires absorbent material that is changed 2 to 4 times per day
Requires absorbent material that is changed more than 4 times per day
Trequires absorbent material that is changed more than 4 times per day
3G. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING URINARY FREQUENCY ATTRIBUTABLE TO MULTIPLE SCLEROSIS?
☐ YES ☐ NO
(If "Yes," check all that apply):
Daytime voiding interval between 2 and 3 hours
Daytime voiding interval between 1 and 2 hours
Daytime voiding interval less than 1 hour
Nighttime awakening to void 2 times
Nighttime awakening to void 3 to 4 times
Nighttime awakening to void 5 or more times
3H. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING OBSTRUCTED VOIDING ATTRIBUTABLE TO MULTIPLE SCLEROSIS?
YES NO
(If "Yes," check all signs and symptoms that apply):
Hesitancy
(If checked, is hesitancy marked?)
☐ YES ☐ NO
Slow or weak stream
(If checked, is stream markedly slow or weak?)
YESNO
Decreased force of stream
(If checked, is force of stream markedly decreased?)
☐ YES ☐ NO
Stricture disease requiring dilatation 1 to 2 times per year
Stricture disease requiring periodic dilatation every 2 to 3 months
Recurrent urinary tract infections secondary to obstruction
Uroflowmetry peak flow rate less than 10 cc/sec
Post void residuals greater than 150 cc
Urinary retention requiring intermittent or continuous catheterization
AL DOFO THE VETERAL HAVE VOIDING DVOEINGTION DECLIBER OF AN ARRIVADE ATTENDED AT THE COLUMN TO THE COLUMN TWO TWO THE COLUMN TWO THE COLUMN T
3I. DOES THE VETERAN HAVE VOIDING DYSFUNCTION REQUIRING THE USE OF AN APPLIANCE ATTRIBUTABLE TO MULTIPLE SCLEROSIS?
YES NO
(If "Voo." doogribo):
(If "Yes," describe):

SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO MS (Continued)						
3J. DOES THE VETERAN HAVE A HISTORY OF RECURRENT SYMPTOMATIC URINARY TRACT INFECTIONS ATTRIBUTABLE TO MULTIPLE SCLEROSIS?						
YES NO						
(If "Yes," check all treatments that apply):						
No treatment						
Long-term drug therapy						
(If checked, list medications used for urinary tract infection and indicate dates for courses of treatment over the past 12 months):						
Hospitalization						
(If checked, indicate frequency of hospitalization):						
1 or 2 per year						
More than 2 per year						
Drainage						
(If checked, indicate dates when drainage performed over past 12 months):						
Other management/treatment not listed above						
(Description of management/treatment including dates of treatment):						
OVER THE VETERAN (% - 1) HAVE EDECTHE DVOCH NOTICE ATTRIBUTARY ETC AND TREE COLUMN						
3K. DOES THE VETERAN (if male) HAVE ERECTILE DYSFUNCTION ATTRIBUTABLE TO MULTIPLE SCLEROSIS?						
YES NO						
(If "Yes," is the Veteran able to achieve an erection (without medication) sufficient for penetration and ejaculation?)						
YES NO						
(If "No," is the Veteran able to achieve an erection (with medication) sufficient for penetration and ejaculation?)						
☐ YES ☐ NO						
3L. VISUAL DISTURBANCES						
DOES THE VETERAN HAVE ANY VISUAL DISTURBANCES ATTRIBUTABLE TO MS?						
☐ YES ☐ NO						
(If "Yes," check all that apply, also complete the Eye Questionnaire (schedule with appropriate examiner):						
Diplopia						
Blurring of vision						
Internuclear ophthalmoplegia						
Decreased visual acuity (If checked, specify): unilateral bilateral						
☐ Visual scotoma (If checked, specify): ☐ unilateral ☐ bilateral						
Nystagmus						
Optic neuritis						
Other (describe):						
SECTION IV - NEUROLOGIC EXAM						
4A. GAIT						
NORMAL ABNORMAL (describe):						
(If gait is abnormal, and the Veteran has more than one medical condition contributing to the abnormal gait, identify the conditions and describe each condition's contribution						
to the abnormal gait):						

SECTION IV - NEUROLOGIC EXAM (Continued)										
4B. STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:										
0/5 No mus	scle movement				2/5	No mov	ement/	against gra	avity	4/5 Less than normal strength
1/5 Visible	muscle moveme	ent, but no j	joint move	ement	3/5	No mov	ement/	against re	sistance	5/5 Normal strength
Shoulder E	xtension	RIGHT: [5/5	4/5	3	/5	2/5	1/5	0/5	
		LEFT: [5/5	4/5	3	/5	2/5	1/5	0/5	
Shoulder Fl	lexion	RIGHT: [5/5	4/5	3	/5	2/5	1/5	0/5	
		LEFT: [5/5	4/5		/5	2/5	1/5	0/5	
Elbow Flexi		RIGHT:	5/5	4/5		/5	2/5	1/5	0/5	
		LEFT: [5/5	4/5		/5	2/5	1/5	0/5	
Elbow Exte		RIGHT:	5/5	4/5		/5	2/5	1/5	0/5	
		LEFT: [5/5	4/5		/5	2/5	1/5	0/5	
Wrist Flexion		RIGHT: [5/5	4/5		/5	2/5	1/5	0/5	
		LEFT: [5/5	4/5		/5	2/5	1/5	0/5	
Wrist Exten		RIGHT: [5/5	4/5		/5	2/5	1/5	0/5	
Grip		LEFT: [5/5 5/5	4/5		/5 <u> </u>	2/5 2/5	1/5	0/5	
Grip		LEFT:	5/5	4/5		/5 <u> </u>	2/5	1/5	0/5	
Pinch		RIGHT:	5/5	4/5		/5 <u> </u>	2/5	1/5	0/5	
(thumb to ir	ndev finger)	LEFT: [5/5	4/5		5	2/5	1/5	0/5	
Hip Extensi		RIGHT:	5/5	4/5		/5	2/5	1/5	0/5	
l iip Zixioiioi		LEFT:	5/5	4/5		/5	2/5	1/5	0/5	
Hip Flexion		RIGHT:	5/5	4/5		/5	2/5	1/5	0/5	
· '		LEFT:	5/5	4/5		/5	2/5	1/5	0/5	
Knee Exter		RIGHT:	5/5	4/5		/5	2/5	1/5	0/5	
		LEFT:	5/5	4/5		/5	2/5	1/5	0/5	
Ankle Plant	ar Flexion	RIGHT:	5/5	4/5		/5	2/5	1/5	0/5	
		LEFT:	5/5	4/5		/5	2/5	1/5	0/5	
Ankle Dorsi	iflexion	RIGHT:	5/5	4/5	<u> </u>	/5	2/5	1/5	0/5	
		LEFT:	5/5	4/5	3	/5	2/5	1/5	0/5	
IF THERE ARE O	THER WEAKN	JESSES PI	FASES	PECIEV III	SING THE	E ΔRΩV	E EORI	мΔТ·		
II THERE ARE	JIIILIK WEJUKI	VLCCLO, I	LL/ (OL O	LOII I O	01110 1111	LABOV	_ 1 011	VII (1 .		
4C. DEEP TEND	ON REFLEXES	S (DTRs) - F	RATE RE	FLEXES A	CCORDI	NG TO 1	THE FO	LLOWING	SCALE:	
0 - Absent		2+	Normal				4+ In	creased w	ith clonus	
1+ Decreas	sed	3+	Increase	d without c	lonus					
Biceps		RIGHT:	0	1+	<u> </u>	+ [3+	4+		
		LEFT:	= 0	1+	2	+ =	3+	4+		
Triceps		RIGHT:	o	1+	<u> </u>	+ 🗀	3+	4+		
1		LEFT:	0	1+	_ 2	+ 🗀	3+	4+		
Brachioradi	ialis	RIGHT:	0	1+	_ 2	+ 🗀	3+	4+		
1		LEFT:	0	1+	2	+	3+	4+		
Knee		RIGHT: [0	1+	2	+	3+	4+		
		LEFT:	0	1+	2	+	3+	4+		
Ankle		RIGHT:	0	1+	2		3+	4+		
		LEFT: [0	1+	2	+	3+	4+		

SECTION IV - NEUROLOGIC EXAM (Continued)						
4D. SENSATION TESTING RESULTS:						
Shoulder area (C5)	RIGHT: Normal D	Decreased Absent				
	LEFT: Normal D	Decreased Absent				
Inner/outer forearm (C6/T1)	RIGHT: Normal D	Decreased Absent				
	LEFT: Normal D	Decreased Absent				
Hand/fingers (C6-8)		Decreased Absent				
	LEFT: Normal D	Decreased Absent				
Thorax:						
Anterior:		Decreased Absent				
Posterior:		Decreased Absent Decreased Absent				
Posterior.		Decreased Absent				
Trunk:	LLI I. Normai L	Absent				
Anterior:	RIGHT: Normal D	Decreased Absent				
		Decreased Absent				
Posterior:	RIGHT: Normal D	Decreased Absent				
	LEFT: Normal D	Decreased Absent				
Thigh/knee (L3/4)	RIGHT: Normal D	Decreased Absent				
	LEFT: Normal D	Decreased Absent				
Lower leg/ankle (L4/L5/S1)	RIGHT: Normal D	Decreased Absent				
	LEFT: Normal D	Decreased Absent				
Foot/toes (L5)		Decreased Absent				
	LEFT: Normal D	Decreased Absent				
YES						
			CONDITIONS, SIGNS AND/OR SYMPTOMS			
5A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION? YES NO (If "Yes," describe in a brief summary):						
5B. DOES THE VETERAN HAVE A DIAGNOSIS SECTION ABOV		e) RELATED TO ANY CONDITIONS OF	R TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE			
YES NO IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK? (An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar.) YES NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT. IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.						
LOCATION:		MEASUREMENTS: length	cm X width cm.			

SECTION V OTHER REPTINENT PHYSICAL FINDINGS COMP	LICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS (Continued)
· · · · · · · · · · · · · · · · · · ·	EICATIONS, CONDITIONS, SIGNS AND/OR STIMP TOMS (Continueu)
5C. COMMENTS, IF ANY:	
	S DUE TO MULTIPLE SCLEROSIS OR ITS TREATMENT
6A. DOES THE VETERAN HAVE SIGNS OR SYMPTOMS OF DEPRESSION, COG	NITIVE IMPAIRMENT OR DEMENTIA, OR ANY OTHER MENTAL HEALTH
CONDITIONS ATTRIBUTABLE TO MS AND/OR ITS TREATMENT?	
YES NO (If "Yes," briefly describe):	
(If "Yes," also complete Mental Disorders Disability Benefits Questionnaire and sched	ule with appropriate provider)
CD DOCC THE VETERANIC MENTAL DICORDER/C), AC IDENTIFIED IN ITEM CA	RESULT IN GROSS IMPAIRMENT IN THOUGHT PROCESSES OR COMMUNICATION?
	RESULT IN GROSS IMPAIRMENT IN THOUGHT PROCESSES OR COMMUNICATION?
YES NO	
(If "No," also complete Mental Disorders Disability Benefits Questionnaire and schedu	ıle with appropriate provider).
(If "Yes," briefly describe the signs and symptoms of the Veteran's mental disorder):	
SECTION VII	- HOUSEBOUND
7A. IS THE VETERAN SUBSTANTIALLY CONFINED TO HIS OR HER DWELLING	AND THE IMMEDIATE PREMISES (or if institutionalized, to the ward or clinical areas)?
☐ YES ☐ NO	
(If "Yes," describe how often per day or week and under what circumstances the Vete	eran is able to leave the home or immediate premises).
(ii Tes, describe now often per day of week and under what officialistances the vete	stati is able to leave the nome of infinediate premises).
7B. IF YES, DOES THE VETERAN HAVE MORE THAN ONE CONDITION CONTRI	BUTING TO HIS OR HER BEING HOUSEBOUND?
YES NO (If "Yes," list conditions and describe how each condition	contributes to causing the Veteran to be housebound)
	,
PROVIDE CONDITIONS AND DESCRIBE HOW EACH CONDITION CONTRIBUTES	3 TO THE VETERAN BEING HOUSEBOUND
CONDITION # 1 -	DESCRIPTION -
CONDITION # 2 -	DESCRIPTION -
CONDITION # 0	DECORIDEION
CONDITION # 3 -	DESCRIPTION -
7C. IF THE VETERAN HAS ADDITIONAL CONDITIONS CONTRIBUTING TO CAUS	L SING THE VETERAN TO BE HOUSEROUND LIST USING ABOVE FORMAT:
70. II THE VETER WITHOUT BUTHOUTE CONDITIONS CONTINUE TO CACC	THE VETERALLY TO BE HOUSEBOOKE, EIGH GOING ABOVET GRAWATT.
SECTION VIII - AII	D AND ATTENDANCE
8A. IS THE VETERAN ABLE TO DRESS OR UNDRESS WITHOUT ASSISTANCE?	
☐ YES ☐ NO	
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)	
☐ YES ☐ NO	
8B. DOES THE VETERAN HAVE SUFFICIENT UPPER EXTREMITY COORDINATION	ON AND STRENGTH TO BE ABLE TO FEED HIM OD HEDGELE WITHOUT
ASSISTANCE?	SITTING OTTEROTTED OF ADEL TO LEFT HIM OF HELDELL MILLION
YES NO	
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)	
YES NO	

OF OTION VIII. ALD AND ATTENDANCE (C
SECTION VIII - AID AND ATTENDANCE (Continued)
8C. IS THE VETERAN ABLE TO PREPARE MEALS WITHOUT ASSISTANCE?
YES NO
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)
☐ YES ☐ NO
8D. IS THE VETERAN ABLE TO ATTEND TO THE WANTS OF NATURE (toileting) WITHOUT ASSISTANCE?
☐ YES ☐ NO
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)
☐ YES ☐ NO
8E. IS THE VETERAN ABLE TO BATHE HIM OR HERSELF WITHOUT ASSISTANCE?
☐ YES ☐ NO
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)
L YES NO
8F. IS THE VETERAN ABLE TO KEEP HIM OR HERSELF ORDINARILY CLEAN AND PRESENTABLE WITHOUT ASSISTANCE?
I □ YES □ NO
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)
L YES NO
OO TO THE VETERAN ARE E TO TAKE REPROPRIED MEDICATIONS IN A TIME WAANNER AND WITH ACCURATE ROOM OF WITHOUT ACCURATE
8G. IS THE VETERAN ABLE TO TAKE PRESCRIPTION MEDICATIONS IN A TIMELY MANNER AND WITH ACCURATE DOSAGE WITHOUT ASSISTANCE?
YES NO
(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)
YES NO
8H. DOES THE VETERAN NEED FREQUENT ASSISTANCE FOR ADJUSTMENT OF ANY SPECIAL PROSTHETIC OR ORTHOPEDIC APPLIANCE(S)?
l <u> </u>
YES NO (If "Yes," describe):
NOTE: For VA purposes, "bedridden" will be that condition which actually requires that the claimant remain in bed. The fact that the claimant has voluntarily taken to bed or
that a physician has prescribed rest in bed for the greater or lesser part of the day to promote convalescence or cure will not suffice.
8I. IS THE VETERAN BEDRIDDEN?
I ☐ YES ☐ NO
(If "Yes," is this limitation caused by the Veteran's Multiple Sclerosis?)
☐ YES ☐ NO
AL IOTHE VETERALLE CALLY RIVER
8J. IS THE VETERAN LEGALLY BLIND?
L YES L NO
(If "Yes," is this limitation caused by the Veteran's Multiple Sclerosis?)
YES NO
Provide best corrected vision, if known: Left Eye: Right Eye:
8K. DOES THE VETERAN REQUIRE CARE AND/OR ASSISTANCE ON A REGULAR BASIS DUE TO HIS OR HER PHYSICAL AND/OR MENTAL DISABILITIES IN
ORDER TO PROTECT HIM OR HERSELF FROM THE HAZARDS AND/OR DANGERS INCIDENT TO HIS OR HER DAILY ENVIRONMENT?
I ☐ YES ☐ NO
(If "Yes," is this limitation caused by the Veteran's Multiple Sclerosis?)
L YES L NO
8L. LIST ANY CONDITION(S), IN ADDITION TO THE VETERAN'S MS, THAT CAUSES ANY OF THE ABOVE LIMITATIONS:
SECTION IX - NEED FOR HIGHER LEVEL (i.e., more skilled) A&A
9. DOES THE VETERAN REQUIRE A HIGHER, MORE SKILLED LEVEL OF A&A?
L YES L NO
NOTE: For VA purposes, this skilled, higher level care includes (but is not limited to) health-care services such as physical therapy, administration of injections, placement of
indwelling catheters, changing of sterile dressings, and/or like functions which require professional health-care training or the regular supervision of a trained health-care professional to perform. In the absence of this higher level of care provided in the home, the Veteran would require hospitalization, nursing home care, or other residential

SECTION X - ASSISTIVE DEVICES					
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(S) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?					
YES NO					
(If "Yes," identify assistive device(s) used (check all that apply and indicate frequency)					
WHEELCHAIR Frequency of use: Occasional Regular Constant					
BRACE(S) Frequency of use: Occasional Regular Constant					
CRUTCH(ES) Frequency of use: Occasional Regular Constant					
CANE(S) Frequency of use: Occasional Regular Constant					
WALKER Frequency of use: Occasional Regular Constant					
Frequency of use: Occasional Regular Constant					
10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSITIVE DEVICE USED FOR EACH CONDITION:					
SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES					
11. DUE TO MULTIPLE SCLEROSIS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)					
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROSTHESIS WOULD EQUALLY SERVE THE VETERAN					
□ NO					
(If "Yes," indicate extremity(ies)) (Check all extremities for which this applies):					
Right upper Left upper Right lower Left lower					
(For each checked extremity, describe loss of effective function, identify the condition causing loss of function, and provide specific examples in a brief summary):					
(i or odd), orioniou orianii, u oddinii, u oddinii, u oddinii, u u oddinii, u u oddinii oddonii, u oddinii					
SECTION XII - FINANCIAL RESPONSIBILITY					
12. IN YOUR JUDGMENT, IS THE VETERAN ABLE TO MANAGE HIS/HER BENEFIT PAYMENTS IN HIS/HER OWN BEST INTEREST, OR ABLE TO DIRECT SOMEONE					
ELSE TO DO SO?					
YES NO (If "No," provide reason):					
SECTION XIII - DIAGNOSTIC TESTING					
NOTE: If the results of MRI, other imaging studies or other diagnostic tests are in the medical record and reflect the Veteran's current condition, repeat testing is not required. If pulmonary function testing (PFT) is indicated due to respiratory disability, and results are in the medical record and reflect the Veteran's current respiratory function, repeat testing is not required. DLCO and bronchodilator testing is not indicated for a restrictive respiratory disability such as that caused by muscle weakness due to Multiple Sclerosis.					
13A. HAVE IMAGING STUDIES BEEN PERFORMED?					
☐ YES ☐ NO					
(If "Yes," provide most recent results, if available):					
13B. HAVE PFT's BEEN PERFORMED?					
YES NO					
(If "Yes," provide most recent results, if available):					
FEV1: % predicted Date of test:					
FEV1: % predicted Date of test: FEV1/FVC: % Date of test:					
FEV1: % predicted Date of test:					
FEV1: % predicted Date of test: FEV1/FVC: % Date of test:					

SECTION XIII - DIAGNOSTIC TESTING (Continued)						
13D. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC	C TEST FINDINGS AND/OR RESULTS?	_				
YES NO						
(If "Yes," provide type of test or procedure, date and re	esults, in a brief summary):					
, , , , , , , , , , , , , , , , , , ,						
	SECTION XIV - FUNCTIONAL IMPACT					
14. DOES THE VETERAN'S MULTIPLE SCLEROSIS IMPAG	CT HIS OR HER ABILITY TO WORK?					
	eteran's Multiple Sclerosis, providing one or more examples):					
	SECTION XV - REMARKS					
15. REMARKS (If any)						
SECTION XVI - EXAMINER'S CERTIFICATION AND SIGNATURE CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.						
16A. Examiner's signature:	16B. Examiner's printed name and title (e.g. MD,	חם סם	e DMD Dh D Dev D ND DA_C).			
10A. Examiner's signature.	100. Examiner's printed frame and the (e.g. MD)	טט, טטי	5, DIVID, PII.D, PSY.D, NF, FA-01.			
16C. Examiner's Area of Practice/Specialty (e.g. Cardiology	, Orthopedics, Psychology/Psychiatry, General Practice):		16D. Date Signed:			
	16F. National Provider Identifier (NPI) number:					
16E. Examiner's phone/fax numbers:	Medical license number and state:					
16H. Examiner's address:						